

Jumbo Insulating Glass Units

Jumbo Insulating Glass Units

Including Tempering, Lamination and Coating, but excluding Heat Soak testing –
(Please see below note 5).

Width up to 2.4m x max height 6.0m.

And

Width 2.4m - 3.2m x max height less than or equal to 4.5m.

NOTES:

1. Max weight 800kg
2. Edge seal depth Minimum 10mm
3. Minimum glass thickness 8mm
4. Minimum air space width 18mm
5. Heat Soak testing Maximum size 2.4m x 5.0m
6. Heat Strengthening heavy float. Only to EN 1863
 - 6.1. 8mm substrate at Tempering rate
 - 6.2. 10mm substrate at Tempering rate x 1.5
 - 6.3. 12mm substrate at Tempering rate x 2
7. Special rates apply, subject to a minimum value per JUMBO IGU of AED 8,500.00.
8. Other size and limit options available on application

Disclaimer

This Technical Bulletin published by Emirates Glass LLC is subject to change without notification and Emirates Glass LLC does not accept liability for errors and omissions contained therein



Emirates Glass L.L.C., P.O. Box: 29769, Dubai, UAE
Tel: +971 4 7094700 Fax: +971 4 3471440
E-mail: emiglass@emirates.net.ae Website: www.emiratesglass.com

